

# Erkrankungen und Pathogene

Die folgende Übersicht wird ständig aktualisiert. Sie dient dem Verständnis und der Hilfe bei der Auswahl von Frequenzmustern für die Anwendung von AgilCare® zur Körperpflege.

## Achtung!

AgilCare® Pro ist nicht dafür zugelassen und auch nicht dafür geeignet, damit einem medizinischen, diagnostischen oder therapeutischen Zweck zu dienen. Der Verwendungszweck von AgilCare® Pro als Einheit von Gerät und Software besteht ausschließlich in der Körperpflege, insbesondere zur zielgerichteten Reduzierung von Parasiten. Jede Benennung von Organen, Symptomen oder Diagnosen in AgilCare® Pro dient lediglich der gut verständlichen Eingrenzung der vom Gerät abgegebenen Frequenzmuster für selektierte Parasiten.

Die Anwendung von AgilCare® Pro sind nicht dazu geeignet oder zugelassen, auf Veränderung oder Erkennung der darin genannten Organe, Symptome, Diagnosen oder Körperfunktionen abzielen.

<b>A</b>	
Acne	<p>Propionibacterium acnes Staphylococcus species Malassezia species</p> <p>Es liegt eine Bakterienbeteiligung vor, die sich von den Ölabsonderungen insbesondere der jugendlichen Haut ernähren. In allen Fällen fanden sich auch Trichinella Rundwürmer</p>
Actinomycosis	<p>Actinomyces species (verschiedene Anzahl davon)</p> <p>Bakterienfamilie, die Aktinomykosen („Strahlenpilzkrankheit“) verursachen: meist aerob/anaerobe Mischinfektion mit Staphylokokken; A. wurden lange zu den Pilzen gezählt; normalerweise in der Mundhöhle zu finden; ähneln =&gt;Nocardia</p>
African sleeping sickness (Afrikanische Schlafkrankheit)	<p>Trypanosoma brucei gambiense (chronische Vielfalt, 95% der Infektionen) Trypanosoma brucei rhodesiense (akute Vielfalt, 5% der Infektionen)</p>
African tick-bite fever (Afrikanisches Zeckenbiss-Fieber)	Rickettsia africae
Alveococcosis (alveolar echinococcosis)	Echinococcus multilocularis

Alzheimer's Disease (1) (Morbus Alzheimer)	Human herpesvirus 1 (aka Herpes simplex 1) Chlamydophila (Chlamydia) pneumoniae Simian virus 40 Shigella
Alzheimer's disease (2) (Morbus Alzheimer)	Treponema bacterial species Fungal species, einschließlich Candida species  Nach Dr. Klinghardt ist der Hauptfaktor =>Quecksilber, daß bei seiner Wanderung die Tür für andere Gifte wie Aluminium offen läßt (Gatekeeper-Funktion).
Amyotrophic lateral sclerosis (ALS, Lou Gehrig's disease, motor neuron disease)	HTLV-1 (Human t-cell lymphotropic virus type 1) Human foamy virus (aka Human spuma retrovirus) Human endogenous retrovirus K (HERV-K) Mycoplasma fermentans Echovirus 7 Egel =>Echinostoma Revolutum
Anaplasmosis (auch Humane Granulozytäre Ehrlichiose)	Anaplasma phagocytophilum
Anämie	Babesia microti Babesia divergens, Babesia canis
Angina tonsillaris	Alpha streptococcus Streptococcus pyogenes
Angiostrongyliasis	Angiostrongylus cantonensis (Ratten-Lungenwurm) Angiostrongylus costaricensis (amerikanischer Ratten-Lungenwurm)
Anthrax	Bacillus anthracis Bacillus anthracis (395, 364,368 KHz, Sporen 388 KHz);
<b>Erkrankungen des Arterien- und Venensystems</b>	Rickettsien Dengue-Virus Dirofilaria immitis (Herzwurm) Clonorchis sinensis Chilomastix-Zysten (Ratten) Chilomonas Hefepilze generell
Phlebitis, Arteriitis, Varizen, Morbus Raynaud, Rosacea, Lupus erythematodes	
Arthritis (rheumatische und andere Formen)	Mycoplasma pneumoniae Mycoplasma arthritidis Mycoplasma fermentans Mycoplasma hominis Mycoplasma penetrans  Schistosoma japonicum mit Streptococcus pneumoniae

	Chlamydien, Gonokokken, Borrelien, Campylobakter, Bruzellen, Streptokokken, Mykoplasmen, Yersinien, Mykobakter
Arthritis (rheumatisch)	Mycoplasma species: arthritidis, fermentans, hominis, pneumoniae, penetrans Epstein barr virus (aka Human herpesvirus 4) Chlamydia pneumoniae Chlamydia trachomatis
Ascariasis	Ascaris lumbricoides (aka Ascaris suum oder Ascaris lumbricoides suum)
Aspergillosis	Aspergillus fumigatus, Aspergillus niger (am gebräuchlichsten vorkommend) Aspergillus flavus Aspergillus clavatus Aspergillus species
Astrakhan fever	Rickettsia conorii
Athlete's foot (auch Tinea Pedis)	Trichophyton rubrum (am gebräuchlichsten vorkommend) Trichophyton mentagrophytes Epidermophyton floccosum
<b>Erkrankungen der oberen Atemwege</b>	Alpha streptococcus Streptococcus aureus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Haemophilus influenza Adenovirus Cytomegalie virus Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Coxsackie virus B-1, B-4 und A-7 Rhinovirus Parainfluenza Influenza A virus, Influenza B virus Retrovirus Pneumocystis jiroveci (carinii)
Sinusitis, Konjunktivitis, Pharyngitis, Laryngitis, Tonsillitis Angina tonsillaris	
Asthma	Ascarides lumbricoides
<b>Erkrankungen des Auges</b>	Alpha streptococcus Staphylococcus aureus Streptococcus lactis Streptococcus mitis

<p>Konjunktivitis, Photo Hypersensibilität, Visusverschlechterung, verstärkte Tränensekretion, Lidödem, Katarakt, Glaukom, Retinolyse, Chorioiditis, Makuladegeneration, Retinopathie,</p>	<p>Streptococcus pneumoniae Streptococcus pyogenes Rickettsien Cytomegalie virus Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Chikungunya Coxsackie virus B-1, B-4 Retroviren Rotaviren Pneumocystis jiroveci (carinii) Aspergillus niger Candida albicans Chlamydia trachomatis</p>
<p>Retinitis</p>	<p>Cytomegalie-Virus</p> <p>Die CMV-Retinitis ist eine durch das Zytomegalie-Virus verursachte Netzhaut-Entzündung, bei der Symptome auftreten können wie:</p> <ul style="list-style-type: none"> <li>- Sehstörungen</li> <li>- verschwommenes Sehen</li> <li>- herabgesetzte Sehschärfe</li> </ul> <p>Das Auge selbst ist dabei schmerzfrei und äußerlich unauffällig. Unbehandelt kann die CMV-Retinitis letztendlich zur Erblindung führen. Bei der Augenuntersuchung erkennt der Arzt weißliche Veränderungen oder Blutungen am Augenhintergrund.</p>
<p>Autism</p>	<p>Desulfovibrio species Bacteroides vulgatus Clostridium species</p>
<p><b>B</b></p>	
<p>Babesiosis</p>	<p>Babesia microti Babesia divergens (speziell in Europa) Babesia duncan (früher bekannt als WA1) Babesia sp. EU1 (vorläufiger Name Babesia venatorum) mögliche andere Babesia species</p>
<p>Bacillary angiomatosis</p>	<p>Bartonella henselae Bartonella quintana</p>

Bartonellosis (1)	<p>Bartonella henselae  Bartonella quintana (von Lusen bertragen)  Bartonella bacilliformis (kommen vor in Peru, Ecuador und Columbia)  Bartonella rochalimae  Bartonella vinsonii subspecies arupensis  Bartonella vinsonii subspecies berkhoffii  Bartonella clarridgeiae  Bartonella elizabethae  Bartonella grahamii  Bartonella washoensis  Other species of Bartonella (einschlielich B. alsatica, B. melophagi)</p>
Bartonellosis (2)	<p>Bartonella henselae  Bartonella quintana (von Lusen bertragen)  Bartonella bacilliformis (kommen vor in Peru, Ecuador und Columbia)  Bartonella rochalimae  Bartonella vinsonii subspecies arupensis  Bartonella vinsonii subspecies berkhoffii  Bartonella clarridgeiae  Bartonella elizabethae  Bartonella grahamii  Bartonella washoensis  Other species of Bartonella (einschlielich B. alsatica, B. melophagi)</p>
Benign prostate hyperplasia (BPH)	Propionibacterium acnes
Bilharzia (auch Schistosomiasis oder Schneckenfieber)	<p>Schistosoma mansoni  Schistosoma haematobium  Schistosoma japonicum  Schistosoma intercalatum  Schistosoma mekongi</p>
Black death	Yersinia pestis
<b>Bluthochdruck</b>	<p>Escheria coli  Proteus mirabilis  Proteus vulgaris  Rickettsien  Dirofilaria immitis (Herzwurm)  Clonorchis sinensis  Schistosoma hepatica  Schistosoma mansoni  Urocleidus  Chilomastix-Zysten (Ratten)  Chilomonas  Trichomonas vaginalis  Pneumocystis jiroveci (carinii)</p>

	Candida albicans
Botulism	Clostridium botulinum
Boutonneuse fever (auch Mittelmeer-Fleckfieber)	Rickettsia conorii
Brill-Zinsser disease	Rickettsia prowazekii
Brucellosis (auch Malta-Fieber, verdecktes Fieber, Bang-Krankheit)	Brucella melitensis Brucella abortus Brucella suis Brucella canis
<b>Erkrankungen des Brustgewebes / Milchdrüsen</b>	Alpha Streptococcus Staphylococcus aureus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Rickettsien Pneumocystis jiroveci (carinii) Schimmelpilze allgemein
Bubonic plague	Yersinia pestis
Buruli ulcer (auch Bairnsdale Geschwür)	Mycobacterium ulcerans

<b>C</b>	
Cancer, Erwachsenen-T-Zell Leukämie	Human T-cell lymphotropic virus type 1 (HTLV-1)
Cancer, anorectal - squamous cell carcinoma	Human papillomavirus type 16
Cancer, B-cell lymphoma	Avian leukosis virus Epstein barr virus Simian virus 40
Cancer, bladder	Schistosoma haematobium
Cancer, brain tumors (verschiedene Typen)	BK virus Simian virus 40
Cancer, brain, astrocytoma	Simian virus 40
Cancer, brain, choroid plexus	Simian virus 40

Cancer, brain, ependymoma	Simian virus 40
Cancer, brain, glioblastoma	Human herpesvirus 5 (Cytomegalovirus) Simian virus 40 Human papillomavirus types 16 & 18
Cancer, breast (1)	Human/mouse mammary tumor virus Avian erythroblastosis virus, with breast-relevant oncogenes
Cancer, breast (2)	Bovine leukemia virus Simian virus 40 Human herpesvirus 5 (Cytomegalovirus)
Cancer, Burkitt's lymphoma	Epstein barr virus (Human herpesvirus 4)
Cancer, cervical	Human papillomavirus high-risk types: 16, 18 (am häufigsten) 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68, 82 (gering verbreitet)  Human papillomavirus low-risk types: 6, 11, 26, 40, 42, 53-55, 61, 62, 64, 66, 67, 69-73, 81-84, 89
Cancer, cholangiocarcinoma	Clonorchis sinensis Opisthorchis viverrini Opisthorchis felinus
Cancer, colon / colorectal (1)	JC virus BK virus Simian virus 40 Human papillomavirus, insbesondere Typ 16
Cancer, colon / colorectal (2)	Streptococcus gallolyticus (früher bezeichnet als Streptococcus bovis biotype 1) Fusobacterium nucleatum other Fusobacterium species
Cancer, cutaneous T-cell lymphoma	Human T-cell lymphotropic virus type 1 (HTLV-1)
Cancer, esophageal - squamous cell carcinoma	Human papillomavirus types 16 & 18
Cancer, gastric MALT (mucosa-associated lymphoid tissue) lymphoma	Helicobacter pylori

Cancer, head & neck squamous cell carcinoma	Human papillomaviruses (HPVs), Insbesondere Typ 16
Cancer, Hodgkin's lymphoma	Epstein barr virus (human herpesvirus 4) Human herpesvirus 6
Cancer, Kaposi's sarcoma	Human herpesvirus 8
Cancer, kidney (renal) / urinary tract	BK virus
Cancer, liver (hepatocellular carcinoma)	Helicobacter pylori, Helicobacter species (möglich: Helicobacter hepaticus)
Cancer, liver (hepatocellular carcinoma), fortgesetzt existierend	Hepatitis C virus Hepatitis B virus
Cancer, lung	Human papillomavirus types 16 & 18
Cancer, melanoma	Melanoma-associated endogenous retrovirus, ähnlich Human endogenous retrovirus K
Cancer, Merkel cell carcinoma	Merkel cell polyomavirus
Cancer, mesothelioma	Simian virus 40 (SV40)
Cancer, mycosis fungoides	Human T-cell lymphotropic virus type 1 (HTLV-1)
Cancer, nasal inverted papilloma	Human papillomavirus types 16 and 18
Cancer, nasopharyngeal carcinoma	Epstein barr virus (human herpesvirus 4)
Cancer, non-Hodgkin's lymphoma	Epstein barr virus (Human herpesvirus 4) Simian virus 40
Cancer, osteosarcoma	Simian virus 40



Cancer, ovarian	Human papillomavirus type 16 Mouse mammary tumor virus
Cancer, penile - squamous cell carcinoma	Human papillomavirus types 16 & 18
Cancer, primary effusion lymphoma	Human herpesvirus 8 Epstein barr virus (Human herpesvirus 4)
Cancer, prostate	Propionibacterium acnes BK virus Human papillomavirus (HPV), insbesondere Typen 16 & 18 JC virus
Cancer, Sezary syndrome	Human T-cell lymphotropic virus type 1 (HTLV-1)
Cancer, sinonasal carcinoma	Epstein Barr virus (Human herpesvirus 4)
Cancer, skin - basal cell carcinoma	Human papillomavirus types 8, 20 (und wahrscheinlich andere hoch-riskante Typen)
Cancer, skin - squamous cell carcinoma (Siehe auch Cancer, head & neck squamous cell carcinoma)	Human papillomavirus types 5, 8, 15, 17, 38, 50, 88, 95
Cancer, stomach (gastric carcinoma)	Helicobacter pylori
Cancer, testicular	Epstein Barr virus (Human herpesvirus 4) Cytomegalovirus (Human herpesvirus 5)
Cancer, thyroid carcinoma anaplastic	Simian virus 40
Cancer, thyroid carcinoma papillary	Simian virus 40
Cancer, tonsil	Human papillomavirus type 16 Epstein Barr virus (human herpesvirus 4)
Candidiasis	Candida albicans Candida parapsilosis oder auch Candida species
Carrion's disease (auch bekannt als Oroya fever, Verruga peruana)	Bartonella bacilliformis

Castleman's disease, multicentric	Human herpesvirus 8
Cat flea rickettsiosis	Rickettsia felis
Cat scratch fever	Bartonella henselae
Cellulitis	Staphylococcus aureus group A streptococci auch andere Bakterien oder Pilze (seltener vorkommend)
Chagas disease	Trypanosoma cruzi
Chancroid	Haemophilus ducreyi
Chickenpox	Human herpesvirus 3 (auch bekannt als varicella-zoster virus)
Childbed fever (puerperal fever)	Streptococcus pyogenes (group A strep) Streptococcus agalactiae (group B strep) oder andere Bakterien
Chlamydia (vaginal)	Chlamydia trachomatis
Cholera	Vibrio cholerae
Chronic fatigue syndrome	(Simian) Parainfluenza Virus 5 HTLV-2 (Human T-cell lymphotropic virus type 2) EBV  Chronic Fatigue Syndrom, dt. Chronisches Müdigkeitssyndrom, nach CLARK findet man in vielen Organen einschliesslich Muskeln grosse Mengen =>Kobalt, dass das Wachstum von =>Hirseschimmel begünstigt. Kobalt verhindert die Bildung von Enzymen, die den Gebrauch von Acetyl Coenzym A (CoA), der wirkenden Form von Pantothersäure (Vit.-B5) steuern. Da CoA eine wichtige Rolle im Stoffwechsel spielt (Verbindungsglied zwischen Zitronensäurezyklus, Glykolyse & Fettstoffwechsel), ist Kobaltvergiftung einfach nachzuweisen: der =>LDH Wert im Blut sinkt unter normal. • Alle CFS Patienten haben =>Kryptopyrrolurie • Die meisten CFS Patienten haben chronische =>EBV Infektion
Chronic obstructive pulmonary disease	See COPD below
Clonorchiasis	Clonorchis sinensis
Coccidioidomycosis (auch bekannt als Valley fever, San Joaquin fever, desert fever, California fever)	Coccidioides immitis Coccidioides posadasii

Cold sores	Human herpesvirus 1 (auch bekannt als Herpes simplex 1) occasionally, Human herpesvirus 2
Common Cold	Rhinoviruses, Adenoviruses, Coronaviruses, Parainfluenza viruses, Respiratory syncytial virus, Metapneumovirus, Bocavirus
Condyloma acuminatum (genital warts)	Human papillomavirus types: 6, 11 (most common); type 2 (occasionally in children) Auch die Typen 10, 30, 40-45, 51, 54
COPD (Chronic obstructive pulmonary disease)	These pathogens are secondary to other causes: Haemophilus influenzae Moraxella catarrhalis Streptococcus pneumoniae
Creutzfeldt–Jakob disease	Spiroplasma mirum Other Spiroplasma species
Crohn's disease	Mycobacterium avium subspecies paratuberculosis (auch bekannt als Mycobacterium paratuberculosis)
Cryptococcosis	Cryptococcus neoformans Cryptococcus gattii
Cryptosporidiosis	Cryptosporidium species (C. hominis, C. parvum)
Cyclosporiasis	Cyclospora cayetanensis
Cystic fibrosis	Major pathogens associated with this genetic disease: Pseudomonas aeruginosa Stenotrophomonas maltophilia Burkholderia cenocepacia (formerly, B. cepacia) Burkholderia multivorans Alcaligenes xylosoxidans Klebsiella species Staphylococcus aureus Haemophilus influenzae Mycobacteria species, non-tuberculous Fungi: Aspergillus fumigatus, Candida albicans
Cysticercosis	Taenia solium Taenia saginata Taenia asiatica
Cystitis, hemorrhagic or nonhemorrhagic	BK virus

<b>D</b>	
Dandruff	Malassezia globosa Malassezia restricta
Dengue fever	Dengue virus (types 1-4)
Dental bacterial pathogens	Actinobacillus actinomycetemcomitans Fusobacterium nucleatum Porphyromonas gingivalis Prevotella intermedia (auch bekannt als Bacteroides intermedius) Streptococcus species: S. gordonii, S. mutans, S. sanguinis Tannerella forsythensis (forsythia) Treponema denticola Siehe auch Endodontic infection
Depression	=>Hakenwürmer (400-3 / 393-3 & 386-3), =>Depressionen, =>Fibromyositis, =>Würmer
Diabetes, type 1	Coxsackievirus B, type 4
Dicrocoeliasis	Dicrocoelium dendriticum Dicrocoelium chinensis
Diphtheria	Corynebacterium diphtheriae
Diphyllobothriasis (broad tapeworm infection)	Diphyllobothrium latum Diphyllobothrium nihonkaiense
<b>E</b>	
Ear infection (otitis media)	Haemophilus influenzae Streptococcus pneumoniae Moraxella (früher bekannt als Branhamella) catarrhalis
Eastern equine encephalitis	Eastern equine encephalitis virus
Echinococcosis	Echinococcus multilocularis (causes alveolar echinococcosis, auch bekannt als alveolar hydatid disease). Echinococcus granulosus (causes cystic echinococcosis, auch bekannt als hydatidosis).
Echinostomiasis	Echinostoma hortense, E. macrorchis, E. revolutum, E. ilocano, E. perfoliatum

Ehrlichiosis	Ehrlichia chaffeensis Ehrlichia canis Anaplasma phagocytophilum Neorickettsia sennetsu Ehrlichia ewingii
Elephantiasis	Brugia malayi Wuchereria bancrofti
Encephalitis, Japanese	Japanese encephalitis virus
Encephalitis, La Crosse	La Crosse virus
Encephalitis, St. Louis	St. Louis encephalitis virus
Endodontic infection	Streptococcus species: S. mutans, S. gordonii, S. sanguinis (ehemals sanguis) Fusobacterium species: insbesondere F. nucleatum Porphyromonas species: P. gingivalis, P. endodontalis Dialister species: D. invisus, D. pneumosintes Olsenella species: O. uli Peptostreptococcus species: P. stomatis, P. micros Tannerella forsythia (auch genannt Tannerella forsythensis); ehemals bezeichnet als Bacteroides forsythus Treponema spezies: insbesondere T. denticola Enterococcus species: E. faecalis and E. faecium Prevotella species: P. tanneriae, P. melaninogenica, P. veroralis, P. nigrescens, P. denticola Filifactor alocis Campylobacter rectus Capnocytophaga ochracea Other numerous oral bacteria
Endometriose	Gardnerella Fasciolopsis buskii
Eosinophilic meningitis	Angiostrongylus cantonensis
Erysipelas	Group A beta-hemolytic streptococci auch andere streptococcal bacteria
Erythema infectiosum	Human parvovirus B19
Exanthem subitum (aka roseola, baby measles, sixth disease, roseola infantum)	Human herpesvirus 6B (most common) Human herpesvirus 6A Human herpesvirus 7

Eyelash mites	Demodex brevis Demodex folliculorum
<b>F</b>	
Fascioliasis	Fasciola hepatica (oder gewöhnlicher Schafleberegel) Fasciola gigantica (a liver fluke, causes "tropical fascioliasis")
Fasciolopsiasis	Fasciolopsis buski (intestinal fluke)
Fifth disease	Human parvovirus B19
Filariasis	Wuchereria bancrofti Brugia malayi Brugia timori Onchocerca volvulus Loa loa Dirofilaria species
Flesh-eating bacteria (aka necrotizing fasciitis)	Streptococcus pyogenes (group A strep) Vibrio vulnificus Staphylococcus aureus
Flinders island spotted fever	Rickettsia honey
Food poisoning	Campylobacter jejuni Clostridium botulinum Clostridium perfringens Salmonella typhimurium (auch bezeichnet als S. enterica serovar typhimurium) Staphylococcus species Vibrio parahaemolyticus Vibrio vulnificus
<b>G</b>	
Gastroenteritis, acute viral	Caliciviruses: Norovirus, Norwalk virus Rotavirus (besonders bei Kindern) Astrovirus
Genital herpes	Human herpesvirus 2 (auch bekannt als Herpes simplex 2) occasionally, Human herpesvirus 1
Genital warts	Human papillomavirus; häufigste Typen: 6, 11
German measles (auch bezeichnet als Rubella, 3-day measles)	Rubella virus

<b>Erkrankungen der weiblichen Geschlechtsorgane</b>	Alpha streptococcus Staphylococcus aureus Streptococcus lactis Streptococcus mitis Streptococcus pyogenes Gardnerella vaginalis (an PMS beteiligt durch Befall der Eierstöcke) Streptococcus sp. Chlamydia trachomatis Herpes simplex Herpes zoster Humanes Papilloma Virus (HPV) Trichomonas vaginalis Candida albicans
Candida-Infekte, Vaginitis, Vulvitis	
<b>Erkrankungen der männlichen Geschlechtsorgane</b>	Alpha Streptococcus Staphylococcus aureus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Streptococcus sp. Herpes simplex Herpes zoster Humanes Papilloma Virus (HPV) Schistosoma hepatica Schistosoma mansoni Taenia solium Trichomonas vaginalis Trypanosoma brucei Candida albicans
Prostatitis, Orchitis, Balanitis (Eichelentzündung)	
Glanders	Burkholderia mallei (ehemals bekannt als Pseudomonas mallei)
Glaucoma	Helicobacter pylori
Gnathostomiasis	Most common: Gnathostoma spinigerum Other species of Gnathostoma
<b>Grippaler Infekt, Bronchitis, Sinusitis</b>	Alpha streptococcus Staphylococcus aureus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Streptococcus sp. Bordetella pertussis

	<p>Corynebacterium diphtheriae  Haemophilus influenza  Legionella pneumophila  Mycobacterium tuberculosis  Klebsiella pneumoniae  Mycoplasma  Chlamydia trachomatis  Adenovirus  Epstein-Barr Virus (EBV)  Herpes simplex  Herpes zoster  Coxsackie-Virus B-1, B-4, A-7  Rhinovirus  Parainfluenza  HRSV, H1N1, H5N1  Influenza A-, Influenza B-Viren  Retro Viren  Rota Viren  Pneumocystis jiroveci (carinii)</p>
Gonorrhoea	Neisseria gonorrhoeae
<b>H</b>	
<b>Erkrankungen der Haare und der Kopfhaut</b>	<p>Staphylococcus aureus  Staphylococcus mitis  Herpes simplex</p>
Haarausfall, Jucken der Kopfhaut, Grindbildung, Ekzeme der Kopfhaut	<p>Herpes zoster  Pilze generell</p>
Haemophilus influenzae b (Hib) disease	Haemophilus influenzae type b (früher: Pfeiffer's bacillus)
Hand, foot and mouth disease	<p>Am häufigsten: Coxsackievirus A16.  Geringer vorkommende Viren: Enterovirus 71, Coxsackievirus A6.  Sporadic: Coxsackieviruses A4-5, A7, A9-10, B1-3, B5.</p>
<b>Erkrankungen des Hautsystems</b>	<p>Eikenella corrodens  Staphylococcus aureus  Streptococcus lactis  Streptococcus mitis</p>
Aspergillosen der Haut, Candida-Infekte der Haut, Akne, Dermatitis, Windeldermatitis, Allergien,	<p>Streptococcus pneumoniae  Streptococcus pyogenes  Streptococcus sp.  Actinomyces israelii  Bacillus cereus</p>



<p>Ekzeme, Gürtelrose, Pyodermie, Erysipel</p>	<p>Bacteroides fragilis Gardnerella vaginalis Lactobacillus acidophilus Propionibacterium acnes Erwinia carotovora Proteus mirabilis Proteus vulgaris Serratia marcescens Shigella dysenteriae Cytomegalie-Virus Herpes simplex Herpes zoster Tabakmosaikvirus Dengue-Virus Dermatophagoides (Staubmilben) Ornithonyssus (Vogelmilbe) Troglodytella abrasseri Pilze generell</p>
<p>Hepatitis</p>	<p>Cytomegalie-Virus</p>
<p><b>Erkrankungen des Herzens</b></p> <p>Tachykardie, Hypertonie, Arrhythmie, Arteriitis der Koronarien, Myokarditis, Perikarditis</p>	<p>Alpha streptococcus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Mycobacterium tuberculosis Mycoplasma Mycoplasma capricolum Rickettsien Retro viren Dirofilaria immitis (Herzwurm) Clonorchis sinensis Chilomastix-Zysten (Ratten) Chilomastix (ganze Fixierung) Pneumocystis jiroveci (carinii)</p>
<p>Endokarditis</p>	<p>Streptococcus viridans</p>
<p>Heart attack (myocardial infarction)</p>	<p>Coxsackievirus B (human), types 2 &amp; 3</p>

Heart, myocarditis	Coxsackievirus B (human), types 1-5
Heart, myocarditis (con't.)	Human parvovirus B19
Hepatitis	Hepatitis A virus Hepatitis B virus Hepatitis C virus Hepatitis D virus Hepatitis E virus
Histoplasmosis (auch bekannt als Darling's disease, reticuloendotheliosis, Ohio Valley disease)	Histoplasma capsulatum (auch bekannt als Ajellomyces capsulatus)
Hospital infections (am häufigsten)	Pseudomonas aeruginosa Staphylococcus aureus (insbesondere MRSA strains) Clostridium difficile Acinetobacter baumannii Enterobacter/Enterococcus spezies Escherichia coli Fungal species (einschließlich Candida parapsilosis & other Candida sp.) Other pathogens
HTLV-1-associated myelopathy (auch bekannt als tropical spastic paraparesis)	Human T-cell lymphotropic virus type 1, auch bekannt als human T-cell leukemia virus type 1 or HTLV-1
Human granulocytic anaplasmosis (früher bekannt als Human granulocytic ehrlichiosis)	Anaplasma phagocytophilum
Human monocytic ehrlichiosis	Ehrlichia chaffeensis
I	
Impetigo	Staphylococcus aureus Streptococcus pyogenes
Indian tick typhus	Rickettsia conorii
Infant septicemia	Enterobacter sakazakii

Inflammatory bowel disease (IBD)	Bacteroides fragilis Fusobacterium species: F. nucleatum, F. varium, F. mortiferum, und möglich auch Fusobacterium
Influenza	Influenza A virus, Influenza B virus, Influenza C virus, Haemophilus influenza type b bacteria
Irritable bowel syndrome (IBS)	Enterococcus faecalis Enterococcus faecium
Israeli tick typhus	Rickettsia conorii
<b>J</b>	
Japanese (Oriental) spotted fever	Rickettsia japonica
Japanese encephalitis	Japanese encephalitis virus
<b>K</b>	
Karies	Streptococcus viridans Streptococcus mutans
Kenya tick typhus	Rickettsia conorii
Keuchhusten	Bordetella pertussis (kommt oft in Zahnherden vor) Haemophilus pertussis (syn.)
<b>L</b>	
La Crosse encephalitis	La Crosse virus
Larva currens (cutaneous strongyloidiasis)	Strongyloides stercoralis Strongyloides fuelleborni
Lassa fever	Lassa virus
Legionnaire's disease	Legionella pneumophila
Leishmaniasis (auch bekannt als black fever, kala azar, Baghdad boil, Dehli boil, Sahib disease, etc)	Leishmania tropica mexicana Leishmania braziliensis Leishmania amazonensis Leishmania tropica Leishmania major Leishmania infantum Leishmania aethiopica

	Leishmania donovani Leishmania chagasi
Leprosy (auch bekannt als Hansen's disease)	Mycobacterium leprae
Leptospirosis	Leptospira interrogans sensu lato, Leptospira pomona Leptospira grippotyphosa Leptospira ballum Leptospira icterohaemorrhagiae Leptospira canicola Leptospira autumnalis other Leptospira species
Leukemia, Erwachsenen-T-cell	Human T-cell lymphotropic virus type 1 (HTLV-1)
Listeriosis	Listeria monocytogenes
Lou Gehrig's disease (Amyotrophic lateral sclerosis, ALS, motor neuron disease)	Echovirus 7 HTLV-1 (Human lymphotropic virus type 1) Human foamy virus (auch bekannt als Human spuma retrovirus)
<b>Erkrankungen der Leber, Galle, Pankreas</b>	Helicobacter pylori Epstein-Barr virus (EBV) Hepatitis-B-Virus, Hepatitis A-Virus, Hepatitis C-Virus
Hypercholesterinämie, Diabetes mellitus, Hepatopathie, Cholelithiasis	Dengue virus Gyrodactylus Capillaria hepatica Eurytrema pancreaticum Fasciola hepatica Gastrothylax elongatus Schistosoma hepatica Schistosoma mansoni Echinococcus granulosus Echinococcus multilocularis Aflatoxine
Hepatitis	Cytomegalie-Virus
<b>Erkrankungen der Lunge</b>	Alpha streptococcus Streptococcus lactis Streptococcus mitis Streptococcus pyogenes Bordetella pertussis
Bronchitis, Pneumonie, Reizhusten, Pertussis, Tuberkulose, Aspergillose	

	<p>Haemophilus influenza  Legionella pneumophila  Mycobacterium tuberculosis  Klebsiella pneumoniae  Chlamydia trachomatis  Adenovirus  Cytomegalie virus  Epstein-Barr virus (EBV)  Herpes simplex  Herpes zoster  Coxsackie-virus A-7  Retroviren  RS virus  Influenza virus A und B virus  Ascaris megalocephala  Aspergillus niger  Aflatoxine  Pneumocystis jiroveci (carinii)</p>
Lupus (auch bekannt als systemic lupus erythematosus, SLE)	Human endogenous retrovirus HRES-1
Lyme disease	<p>Borrelia burgdorferi (primary species in N. America)  Borrelia garinii (primary species in Europe)  Borrelia afzelii (Europe)  Borrelia spielmanii (Europe)  Borrelia valaisiana (Europe)  Borrelia miyamotoi</p>
Lyme disease co-infections (1)	<p>Bartonella henselae  Ehrlichia chaffeensis  Anaplasma phagocytophilia  Ehrlichia ewingii  Babesia (Theileria) microti  Babesia divergens  Babesia sp. EU1 (vorläufig bezeichnet als Babesia venatorum)</p>
Lyme disease co-infections (2)	<p>Powassan virus  Deer tick virus</p>
Lymphogranuloma venereum	Chlamydia trachomatis
Lymphoma, B-cell	Avian leukosis virus
Lymphoma, Burkitt's	Epstein barr virus (Human herpesvirus 4)
Lymphoma, cutaneous T-cell	Human T-cell lymphotropic virus type 1 (HTLV-1)

Lymphoma, Hodgkin's	Epstein barr virus Human herpesvirus 6
Lymphoma, non-Hodgkin's	Epstein barr virus (Human herpesvirus 4)
Lymphoma, primary effusion	Human herpesvirus 8 Epstein barr virus (Human herpesvirus 4)
<b>M</b>	
Malaria	Plasmodium falciparum Plasmodium vivax Plasmodium ovale Plasmodium malariae
Malassezia (Pityrosporum) folliculitis	Malassezia species, especially Malassezia furfur
Malta fever (auch bekannt als undulant fever)	Brucella melitensis, Brucella abortus, Brucella suis
Marseilles fever	Rickettsia conorii
Measles (rubella, red measles)	Measles virus
Measles, German (auch bekannt als Rubella, 3-day measles)	Rubella virus
Mediterranean spotted fever (auch bekannt als boutonneuse fever)	Rickettsia conorii
Melioidosis (auch bekannt als Whitmore's disease)	Burkholderia pseudomallei
Meningitis, bacterial	Various gram-negative bacteria Haemophilus influenzae (type B) Neisseria meningitidis Streptococcus pneumoniae Listeria monocytogenes Staphylococcus aureus Streptococcus bacteria groups A, B, and G Streptococcus agalactiae (group B strep)

Meningitis, viral	Coxsackie A & B viruses Echo viruses Herpesviruses Enteroviruses #70 & 71 Mumps virus Polioviruses auch andere Viren
Metagonimiasis	Metagonimus yokogawai Metagonimus takaishii Metagonimus miyatai
Migräne, Kopfschmerzen, Schlafstörungen, Psych. Dysbalance,	Alpha streptococcus Meningokokken Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Borrelien Rickettsien Tuberculinum burnett Cytomegalie-Virus Epstein-Barr virus (EBV) Chikungunya Dermatophagoides (Staubmilben) Demodex folliculorum Aspergillus niger Aflatoxine
Mononucleosis	Cytomegalovirus (human herpesvirus 5) Epstein-Barr virus (human herpesvirus 4)
Morgellon's disease	Borrelia burgdorferi

Mosquito-transmitted diseases	Chikungunya virus Yellow fever virus West Nile virus Dengue virus Ross River virus Barmah forest virus Zika virus Rift Valley fever virus Eastern equine encephalitis virus Japanese encephalitis virus St. Louis encephalitis virus Western equine encephalitis virus LaCrosse encephalitis virus Venezuelan equine encephalitis virus Jamestown Canyon virus Plasmodium malariae species Dirofilaria immitis (heartworm) Other filarial roundworm parasites (Wuchereria bancrofti, Brugia species)
Motor neuron disease (Amyotrophic lateral sclerosis, ALS, Lou Gehrig disease)	HTLV-1 Human foamy virus (aka Human spuma retrovirus) Human endogenous retrovirus K (HERV-K) Mycoplasma fermentans Echovirus 7
Mucormycosis	Rhizopus oryzae (häufiges Vorkommen, auch bekannt als Rhizopus arrhizus) Other species from: Mucor, Cunninghamella, Apophysomyces, Absidia, Saksenaea, Rhizomucor
Multiresistente Krankenhauskeime	MRSA (Methicillin-resistenter Staphylococcus aureus; Staphylococcus aureus) Pseudomonas aeruginosa
Multiple sclerosis	Human endogenous retrovirus HRES-1 Epstein Barr virus (aka: Human herpesvirus 4) Human herpesvirus 6A Chlamydia pneumoniae
Multiple sclerosis, continued	HERV-W (Human endogenous retrovirus type W)
Mumps	Mumps virus
<b>Erkrankungen der Muskulatur</b>	Alpha streptococcus Streptococcus lactis Streptococcus mitis



Myalgien, LWS-Syndrom, HWS-BWS-Syndrom, Muskelrheumatismus, Fibromyalgie	Streptococcus pneumoniae Streptococcus pyogenes Mycobacterium tuberculosis Yersinia enterocolitica Borrelien Chlamydia trachomatis Rickettsien Tuberculinum burnett Cytomegalie-Virus Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Chikungunya Coxsackie-Virus B-1, -B-4 Dengue-Virus Retroviren Rota Viren Trichinella spiralis Trichuris sp. Paragonimus Westermani Prosthogonimus macro. Pneumocystis jiroveci (carinii) Prionen
Mycosis fungoides (aka cutaneous T-cell lymphoma)	Human T-cell lymphotropic virus type 1 (HTLV-1)
Myocardial infarction (aka heart attack)	Coxsackievirus B (human), types 2 & 3
Myocarditis	Coxsackievirus B (human), types 1-5
Myocarditis (con't.)	Human parvovirus B19
Myositis	Alpha streptococcus Streptococcus pyogenes
<b>N</b>	
Nail fungus (aka: onychomycosis)	Trichophyton rubrum Trichophyton mentagrophytes

Necrotizing fasciitis	Streptococcus pyogenes (group A strep) Vibrio vulnificus Staphylococcus aureus
Neurocysticercosis	Taenia solium Taenia saginata Taenia asiatica
Nieren-/Gallensteine	Staphylococcus aureus
Nocardiosis	Nocardia asteroides Many other Nocardia species
North Asian tick typhus (or, tick fever)	Rickettsia sibirica
<b>Erkrankungen des Nervensystems</b>	Streptococcus mitis Borrelien Rickettsien Cytomegalie virus Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Chikungunya Coxsackie virus B-1, B-4 Borna virus Rota viren Pneumocystis jiroveci (carinii) Aspergillus niger Aflatoxine
Migräne, Kopfschmerzen, Störung der Motorik, Multiple Sklerose, AHDS, Sprachstörung, Wortfindungsstörung, Konzentrationsschwäche, Sensibilitätsstörung, Schlafstörung	
<b>Erkrankungen der Niere, Harnleiter</b>	Gardnerella vaginalis Escheria coli Proteus mirabilis Proteus vulgaris Schistosoma hepatica Schistosoma mansoni Urocleidus Trichomonas vaginalis Candida albicans Pneumocystis jiroveci (carinii)
Pyelonephritis, Zystitis, reizblase	
Cystitis (Blasenentzündung)	Beta Streptococcus Streptococcus agalactiae
<b>O</b>	

Obesity	Adenovirus type 36 (human)
Onchocerciasis (auch bekannt als River blindness)	Onchocerca volvulus (a nematode) Wolbachia sp. bacteria are symbiotic with the nematode
Onychomycosis (nail fungus)	Trichophyton rubrum Trichophyton mentagrophytes
Oroya fever (auch bekannt als Carrion's disease, Verruga peruana)	Bartonella bacilliformis
Osteomyelitis	Staphylococcus aureus (primary) Streptococcus species groups A & occasionally B Enterobacter species Pseudomonas species Haemophilus influenzae Auch andere Bakterien
<b>Erkrankungen des Hör- und Gleichgewichtsorgans</b>	Alpha streptococcus Streptococcus lactis Streptococcus mitis
Vertigo, Otitis externa, Otitis media, Otitis interna, Tinnitus, Hypakusis	Streptococcus pneumoniae Streptococcus pyogenes Rickettsien Cytomegalie virus Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Chikungunya Coxsackie virus B-1, B-4 Retroviren Rota Viren Aspergillus niger Aflatoxine
<b>P</b>	
Paragonimiasis	Paragonimus westermani
Parkinson's disease	certain Nocardia species Nocardia asteroides
Peptic ulcer (stomach ulcer)	Helicobacter pylori

Periodontitis	<p>Fusobacterium nucleatum  Fusobacterium periodontium  Porphyromonas gingivalis  Treponema denticola  Actinomyces viscosus  Tannerella forsythia (aka Tannerella forsythensis)  Aggregatibacter actinomycetemcomitans  Siehe auch: Endodontic infection</p>
Pfeiffer'sches Drüsenfieber akut	<p>Streptococcus mitis  Epstein-Barr virus (EBV)  Herpes simplex  Herpes zoster</p>
Pfeiffer'sches Drüsenfieber chronisch	<p>Streptococcus mitis  Cytomegalie-Virus  Epstein-Barr virus (EBV)  Herpes simplex  Herpes zoster  Retroviren</p>
Pharyngitis	<p>Streptococcus pyogenes (or other group A strep)  Corynebacterium haemolyticus  Mycoplasma pneumoniae  Chlamydophila (Chlamydia) pneumoniae  Other bacteria  Many viruses (not limited to respiratory viruses)</p>
Piedra	<p>Trichosporon asahii  Trichosporon ovoides  Trichosporon inkin  Trichosporon mucoides  Trichosporon asteroides  Trichosporon cutaneum  Pietraia hortae (black piedra)</p>
Pityrosporum folliculitis	<p>Siehe: Malassezia folliculitis</p>
Plague (auch bekannt als black plague, bubonic plague)	<p>Yersinia pestis</p>
Pneumonia (bacterial)	<p>Streptococcus pneumoniae (common)  Branhamella (Moraxella) catarrhalis  Chlamydophila (Chlamydia) psittaci  Chlamydophila (Chlamydia) pneumoniae  Haemophilus influenzae  Legionella pneumophila</p>

	<i>Mycoplasma pneumoniae</i>
Pneumonia (viral)	Meistes Vorkommen: Influenza viruses, Respiratory syncytial virus, Parainfluenza virus, Adenovirus Less common: Rhinovirus, Human metapneumovirus, SARS coronavirus, MERS coronavirus
Pneumonic plague	<i>Yersinia pestis</i>
Polio	Polio virus
Pontiac fever	<i>Legionella pneumophila</i>
Primary biliary cirrhosis	<i>Novosphingobium aromaticivorans</i>
Progressive multifocal leukoencephalopathy	JC virus
Psittacosis	<i>Chlamydophila (Chlamydia) psittaci</i>
Psoriasis	Human herpesvirus 8
Puerperal sepsis (childbed fever)	<i>Streptococcus pyogenes</i> (group A strep) <i>Streptococcus agalactiae</i> (group B strep) Other bacteria
<b>Q</b>	
Q fever	<i>Coxiella burnetii</i>
Queensland tick typhus	<i>Rickettsia australis</i>
<b>R</b>	
Rabbit fever (tularemia)	<i>Francisella tularensis</i>
Rabies	Rabies virus
Relapsing fever, louse-borne	<i>Borrelia recurrentis</i>
Relapsing fever, tick-borne	<i>Borrelia hermsii</i> <i>Borrelia duttoni</i> <i>Borrelia turicatae</i> <i>Borrelia parkeri</i>
Rheumatic fever	<i>Streptococcus pyogenes</i> (group A strep)

Rickettsialpox	Rickettsia akari
Rickettsiosis (non-Spotted fever variety)	Rickettsia canadensis Possibly: Rickettsia bellii (widespread Rickettsia species known to infect mammals; tick-borne)
Rickettsiosis (Spotted fever variety)	Rickettsia rickettsii (Rocky Mountain spotted fever) Rickettsia parkeri Rickettsia felis (carried by fleas) Rickettsia massiliae Rickettsia africae (African tick-bite fever) Rickettsia conorii (Mediterranean spotted fever) Rickettsia sibirica (North Asian tick-borne fever) Rickettsia akari (causes rickettsialpox)
Rift Valley fever	Rift Valley fever virus
Ringworm (Tinea infection)	Häufigst: Trichophyton rubrum, Trichophyton tonsurans, Trichophyton interdigitale, Trichophyton mentagrophytes, Microsporum canis, Epidermophyton floccosum
River blindness (aka Onchocerciasis)	Onchocerca volvulus (a nematode) Wolbachia sp. bacteria are symbiotic with the nematode
Rocky Mountain spotted fever	Rickettsia rickettsii
Rosacea	Demodex species Bacillus oleronius Staphylococcus epidermidis
Roseola (auch bekannt als exanthem subitum, baby measles, sixth disease, roseola infantum)	Human herpesvirus 6B (häufigst) Human herpesvirus 6A Human herpesvirus 7
Rubella (auch bekannt als German measles, 3-day measles)	Rubella virus
<b>S</b>	
Sarcoidosis	Mycobacterium tuberculosis Other Mycobacterium species Propionibacterium acnes
Scalded skin syndrome	Staphylococcus aureus

Scarlet fever (Scharlach)	Streptococcus pyogenes (beta-hemolytic group A Streptococcus)
<b>Erkrankungen der Schilddrüse / Nebenschilddrüse</b>	Alpha streptococcus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Rickettsien Pneumocystis jiroveci
Schilddrüsenüberfunktion, Schilddrüsenunterfunktion, Hashimoto, Zystenbildung	
Schistosomiasis (auch bekannt als bilharzia or snail fever)	Schistosoma mansoni Schistosoma haematobium Schistosoma japonicum Schistosoma intercalatum Schistosoma mekongi
Schizophrenia	HERV-W (Human endogenous retrovirus type W)
Scrub typhus	Orientia tsutsugamushi
Sezary syndrome	Human T-cell lymphotropic virus type 1 (HTLV-1)
Shigellosis	Shigella sonnei Shigella flexneri Shigella dysenteriae Shigella boydii Other Shigella species
Shingles	Human herpesvirus 3 (aka varicella-zoster virus)
Siberian tick typhus	Rickettsia sibirica
Sinusitis, bacterial	Streptococcus pneumoniae Haemophilus influenzae Bacteroides species Peptostreptococcus species Fusobacterium species Moraxella catarrhalis Staphylococcus aureus Porphyromonas species Prevotella species Other bacterial species

Sinusitis, fungal	meistens: Aspergillus species (A. fumigatus & A. flavus), and Mucor species. Curvularia lunata & other Curvularia species Bipolaris, Exserohilum, Alternaria, Drechslera, Helminthosporium, Mortierella, Fusarium, Rhizopus, & other species (Siehe auch: Zygomycosis)
Sinusitis, viral	Most common: rhinovirus, parainfluenza virus, influenza viruses
Sixth disease (auch bekannt als exanthem subitum, baby measles, roseola infantum)	Human herpesvirus 6B (meistens) Human herpesvirus 6A Human herpesvirus 7
Sjogren's syndrome	Human endogenous retrovirus HRES-1 Nontuberculous mycobacteria Coxsackieviruses: B4, A13, andere auch möglich
<b>Erkrankungen des Skeletts</b>	Alpha streptococcus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae Streptococcus pyogenes Mycobacterium tuberculosis Yersinia enterocolitica Borrelien Chlamydia trachomatis Rickettsien Cytomegalie-Virus Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Chikungunya Retroviren Rota viren Pneumocystis jiroveci (carinii) Aspergillus niger Prionen
Osteoporose, Skoliose, Arthrose	
Sleeping sickness (African)	Trypanosoma brucei rhodesiense (most severe) Trypanosoma brucei gambiense (most common)
Smallpox	Variola major virus Variola minor virus
South African tick bite fever	Rickettsia conorii
Southern tick associated rash illness	see STARI below



Sparganosis	Spirometra species of tapeworm
Sporotrichosis (auch bekannt als Rose handlers' disease, Beurmann's disease, Schenck's disease)	Sporothrix schenckii (ehemals: Sporotrichum schenckii)
Spotted fever (auch bekannt als Rickettsiosis)	Siehe: Rickettsiosis (Spotted fever variety)
St. Louis encephalitis	St. Louis encephalitis virus
STARI (Southern tick associated rash illness, aka Masters' disease)	Borrelia species, auch möglich: Borrelia lonestar
Stomach flu	see Gastroenteritis, acute viral
Stomach ulcer (peptic ulcer)	Helicobacter pylori
Strep throat	Streptococcus pyogenes (group A strep)
Strongyloidiasis	Strongyloides stercoralis Strongyloides fuelleborni
Subacute sclerosing panencephalitis	Measles virus (defective strain)
Syphilis	Treponema pallidum
Systemic lupus erythematosus (SLE, aka lupus)	Human endogenous retrovirus HRES-1
<b>T</b>	
Taeniasis (tapeworm infection)	Taenia solium (pork tapeworm - am häufigsten) Taenia saginata (beef tapeworm - selten) Taenia asiatica Taenia hydatigena Diphyllobothrium latum, Diphyllobothrium nihonkai ende (fish or broad tapeworm) Hymenolepis nana (dwarf tapeworm) Echinococcus granulosus Echinococcus multilocularis

Tetanus (auch bekannt als lockjaw)	<i>Clostridium tetani</i>
Thai tick typhus	<i>Rickettsia honey</i>
Thrush	<i>Candida albicans</i>
Tinea infection (skin fungal infection, including ringworm)	Most common: <i>Trichophyton rubrum</i> , <i>Trichophyton tonsurans</i> , <i>Trichophyton interdigitale</i> , <i>Trichophyton mentagrophytes</i> , <i>Microsporum canis</i> , <i>Epidermophyton floccosum</i> . Andere: <i>Arthroderma obtusum</i> , <i>Arthroderma gypseum</i> und andere <i>Microsporum</i> species, <i>Nannizzia</i> species
Tinea pedis (foot fungal infection)	<i>Trichophyton rubrum</i> (meistens) <i>Trichophyton mentagrophytes</i> <i>Epidermophyton floccosum</i>
Tinea versicolor	<i>Malassezia</i> species, often <i>Malassezia globosa</i> & <i>Malassezia furfur</i>
Tonsillitis	<i>Streptococcus pyogenes</i> Other pathogens (humane Adenoviren; Epstein-Barr-Virus (HHV-4); Rhinoviren; Enteroviren; einschließlich Coxsackie-Viren; Coronaviren; Respiratory Syncytial Virus (RSV); humanes Metapneumovirus
Tooth decay (caries)	<i>Streptococcus mutans</i>
Toxic shock syndrome	<i>Staphylococcus aureus</i> (zuerst)
Toxoplasmosis	<i>Toxoplasma gondii</i>
Trachoma (eye disease)	<i>Chlamydia trachomatis</i>
Trench fever (louse-transmitted)	<i>Bartonella quintana</i>
Trichinosis	<i>Trichinella spiralis</i> Other species of <i>Trichinella</i>
Trichomoniasis	<i>Trichomonas vaginalis</i>
Tropical spastic paraparesis (auch bekannt als HTLV-1-associated myelopathy)	Human T-cell lymphotropic virus type 1, auch bekannt als human T-cell leukemia virus type 1 or HTLV-1
Trypanosomiasis, African	<i>Trypanosoma brucei rhodesiense</i> (häufig verschiedene) <i>Trypanosoma brucei gambiense</i> (meistens)
Trypanosomiasis, American	<i>Trypanosoma cruzi</i>

Tuberculosis	Mycobacterium tuberculosis, Mycobacterium bovis
Tularemia (rabbit fever)	Francisella tularensis
Typhoid fever	Salmonella enterica subspecies enterica serovar typhi Salmonella enterica subspecies enterica serovar paratyphi A
Typhus ("endemic" or "murine" typhus)	Rickettsia typhi
Typhus ("epidemic" typhus)	Rickettsia prowazekii
<b>U</b>	
Ulcerative colitis	Mycobacterium avium subspecies paratuberculosis (auch bekannt als Mycobacterium paratuberculosis)
Ulcers (peptic or stomach)	Helicobacter pylori
Undulant fever (auch bekannt als Malta fever)	Brucella melitensis Brucella abortus Brucella suis
Urinary tract infection (urethritis)	Escherichia coli Staphylococcus saprophyticus Ureaplasma urealyticum Ureaplasma parvum Mycoplasma hominis Proteus mirabilis Chlamydia trachomatis Enterococcus faecalis Aerococcus urinae Auch andere Bakterien
<b>V</b>	
<b>Erkrankung der Verdauungsorgane</b>	Helicobacter pylori Enterobacter aerogenes Salmonella enteritidis Salmonella paratyphi Noro virus Retroviren Rotaviren

Nausea, Emesis, Refluxösophagitis, Diarrhoe, Obstipation, Oesophagitis, Gastritis, Colitis, Meteorismus,	Gyrodactylus Ascaris megalocephala Enterobius vermicularis Oxyuren Strongyloides (filariform) Eurytrema pancreaticum Fasciolopsis buski Gastrothylax elongatus Schistosoma hepatica Schistosoma mansoni Taenia saginata Taenia solium Naegleria fowleri Candida albicans
Valley fever (auch bekannt als coccidioidomycosis, San Joaquin fever, desert fever, California fever)	Coccidioides immitis, Coccidioides posadasii
Venezuelan equine encephalitis	Venezuelan equine encephalitis virus
Verruga peruana (auch bekannt als Oroya fever, Carrion's disease)	Bartonella bacilliformis
<b>W</b>	
Warts, common (Verruca vulgaris)	Human papillomavirus types 1, 2 (allgemein); 4, 7, 27, 29, 57, 60, 65
Warts, filiform	Human papillomavirus types 1, 2, 4, 27, 29. (Thread-like wart, variant of common wart)
Warts, flat (Verruca plana)	Human papillomavirus types 3, 10, 28, 38, 41, 49
Warts, genital	Human papillomavirus types: 6, 11 (most common); type 2 (occasionally in children). Auch die Typen 10, 30, 40-45, 51, 54 auch bekannt als: Condyloma acuminatum

Warts, plantar	Human papillomavirus types 1 (meistens), 2, 4
West Nile disease	West Nile disease virus
Whipple's disease	Tropheryma whipplei
Whitmore's disease (auch bekannt als melioidosis)	Burkholderia pseudomallei
Whooping cough	Bordetella pertussis Bordetella parapertussis
<b>X</b>	
<b>Y</b>	
Yellow fever	Yellow fever virus
<b>Z</b>	
<b>Erkrankungen von Zähnen, Kiefer, Mund</b>	Alpha streptococcus Streptococcus mitis
Gingivitis, Infektionen der Mundhöhle, der Zähne und des Kieferknochens	
<b>Erkrankungen der Zunge, Mundhöhle und Speicheldrüsen</b>	Alpha streptococcus Streptococcus lactis Streptococcus mitis Streptococcus pneumoniae
Candidose, Aspergillose, Aphthosis oris, Lichen, Sialadenitis	Streptococcus pyogenes Epstein-Barr virus (EBV) Herpes simplex Herpes zoster Pneumocystis jiroveci (carinii) Pilze generell
Zygomycosis (auch bekannt als Mucormycosis, invasive fungal sinusitis)	Rhizopus species (meistens): Rhizopus oryzae (früher: Rhizopus arrhizus) Rhizopus rhizopodiformis Mucor species Cunninghamella species

	Other fungal species including Apophysomyces, Absidia, Saksenaea, Rhizomucor, Mortierella, Entomophthora, Conidiobolus, Basidiobolus, others.
--	---